

ITEM	DESCRIPTION	QTY		DELIVER TO SITE	INSTALL AND /OR ERECT	RATE	AMOUNT
A.	<b>WIRING POINTS</b>						
A1	Lighting Point	27	No.		-	-	-
A2	13A Switch Socket outlet	6	No.		-	-	-
A3	Switch A/C Socket outlet point	2	No.		-	-	-
A4	Extractor fan point	8	No.		-	-	-
A5	Hand Drier	2	No.		-	-	-
A6	Allow for all other items	lot					
	<b>WIRING POINTS Carried to summary</b>						-
B.	<b><u>TELEPHONE, DATA, TELEVISION, FIRE ALARM CONDUIT WORK</u></b>						
B1	Telephone Point	2	No.		-	-	-
B2	Data Point	2	No.		-	-	-
B3	Access Control Points	2	No.		-	-	-
B4	Fire alarm Points	2	No.		-	-	-
B5	Television Point	2	No.		-	-	-
B6	9"X6" Adaptable Box - Plastic Type	1	No		-	-	-
B7	9"X9" Adaptable Box - Plastic Type	1	No		-	-	-
B8	Allow for all other items	lot					
	<b>TELEPHONE, DATA, TELEVISION, FIRE ALARM CONDUIT WORK Carried to summary</b>						-
C.	<b><u>DISTRIBUTION BOARDS/ISOLATORS - "Legend or Equally approved"</u></b>						
C1	4way 63A, TP &N Distribution Board complete with mixed capacity of 24no MCBs &RCD	0			-	-	-
C2	4way 32A, TP &N Distribution Board complete with mixed capacity of 18no MCBs &RCD	1			-	-	-
	<b>DISTRIBUTION BOARDS/ISOLATORS - LEGRAND Carried to summary</b>						-

ITEM	DESCRIPTION	QTY		DELIVER TO SITE	INSTALL AND /OR ERECT	RATE	AMOUNT
D.	<b><u>WIRING ACCESSORIES</u></b>						
D1	13A Single Switch Socket Outlet on UPS	0	No.		-	-	-
D1	13A Single Switch Socket Outlet on RAW	4	No.		-	-	-
D1	13A Switch Socket Outlet Twin on RAW	6	No.		-	-	-
D2	13A Twin SwitchSocket Outlet on UPS	0	No.		-	-	-
D4	15A AC Switch Socket Outlet	2	No.		-	-	-
D5	Switch 10A, 1 gang, 1 way	4	No.		-	-	-
D7	20A DP switch with neon indicator	3	No.		-	-	-
D8	Switch 10A, 3 gang, 1way	4	No.		-	-	-
D11	AV Wall outlet complete with back box, 1no. Serial outlet/Cable and 2No. HDMI	0	No.		-	-	-
D13	All other items		Lot				
	<b>WIRING ACCESSORIES Carried to summary</b>						-
E	<b>LIGHTING FITTINGS "ABB or Equally approved Brand"</b> Supply, install and test, commissioning lighting fittings complete with lamps and all items necessary for a complete installation and as recommended by the manufacturers:						
E1	600mm X 600mm LED Modular light fittings Make Type :	2	No.		-	-	-
E1	500mm X 1200mm LED Modular light fittings Make Type :	6	No.		-	-	-
E2	9W LED Spotlight downlighter Make Type :	27	No.		-	-	-
E3	8w single sided 3hr emergency light complete with lamp and exit sign Make Type :	2	No.		-	-	-
E4	26w recessed compact LED fitting Make Type : Cooper Lighting	8	No.		-	-	-

ITEM	DESCRIPTION	QTY		DELIVER TO SITE	INSTALL AND /OR ERECT	RATE	AMOUNT
E5	<u>3C x 1.5mm2 flexible cable for light fittings</u>  Make: Coleman cable  <b>LIGHTING FITTINGS carried to summary</b> <b>SUMMARY</b>  WIRING POINTS TELEPHONE, DATA, TELEVISION, FIRE ALARM CONDUIT WORK DISTRIBUTION BOARDS/ISOLATORS WIRING ACCESSORIES LIGHTING FITTINGS  <b>BQ CARRIED TO GENERAL SUMMARY</b>	120	m		-	-	-
							-
							-
							-
							-
							-
							-
							-
							-
							-